

(11) 306382 (22) 9 May 1996

(86) PCT/AU96/00288 (87) 96/35849

(54) DECORATIVE TRIM BEING STRIP FOLDED AND RELEASABLY FASTENED INTO DECORATIVE HOLLOW TRIANGLE OR RHOMBUS

(51) IPC6: E04F19/04; E04F17/08

(71) Howa, Ian Thomas


(72) Howa, Ian Thomas

(31) 95 2839 (32) 9 May 1995 (33) AU

(74) DLH

(57) A trim section for decoratively covering and concealing gaps (16) and heads of fixings (15) along the intersection of mutually inclined abutting surfaces (10, 11) and for housing and concealing cables (13) and heads of fixings (12) internally within the trim section. The trim section allows effective concealed fixing through the trim section and remote from a frail edge of a surface, such as the edge of a wall panel at an internal corner of a wall. The trim section also allows easy access to elements such as transmission cables contained within the trim section so that inspection and maintenance of such cables is facilitated. The trim section consists of a mounting web portion (1) which is connected along one of its edges to a covering web portion (2), the mounting web portion (1) is pivotally connected along its other edge to a concealing web (3). In use the mounting and covering web portions each bear against one of a pair of mutually inclined abutting surfaces to which they may be attached. The free edge of the concealing web is attachable to and detachable from the mounting web so as to allow cables and fixings to be inserted into or removed from the trim section. The trim section may typically be used to unobtrusively house and conceal transmission cables along the intersection of walls and floors within a building. The trim section may be combined with various attachments such as preformed corners and cable outlet points. The trim section may be

formed in long lengths of plastic as a flat unitary device by plastics extrusion and may be coiled for ease of transportation and installation.



Intellectual Property Office of New Zealand  
IP Database Extract Report

Page: 12 of 34  
Date: 26 April 2004  
Time: 09:48:21  
(msrlpext 3.00.10)

**Patent Details:**

Patent Number (11) 306382  
Current Status Expired or not Renewed  
Int'l Application No. PCT/AU96/00288  
WO Publication No. WO96/35849  
Patent Title (54) A decorative trim  
Patent type Patent PCT Inward

**Dates**

Filed Date (22) 09-MAY-1996  
National Phase Date 03-NOV-1997  
Next Renewal 09-MAY-2000

**Images**

Complete Specification

**Class**

Schedule-Class IPC|E04F17/08  
Schedule-Class IPC|E04F19/04

**Documents**

Abstract/Abridgement  
Document is not stored as text

**Conventions**

Date (320)	Country (330)	Application Number
09-MAY-1995	Australia	95 2839

**Current Applicants/Licensees**

Applicant: IAN THOMAS HOWE  
Address (71) 19 Ryan Road, Pakenham, Victoria 3810, Australia

**Contact (74)**

DON HOPKINS & ASSOCIATES  
Unit 2, Northcote Office Park, 145 Queen St, Palmerston North, New Zealand

**Address for Service**

No address for service on record or public access is restricted

**Inventors (72)**

Howe, Ian Thomas

**Applicant/Licensee History**

Actions	Action	Completed	Due	Journal	Published
	Lapse	13-DEC-2000	13-DEC-2000		
	Send Renewal Non-Compliance	14-JUN-2000	14-JUN-2000		
	Renewal Notice	15-FEB-2000	15-FEB-2000		
	Registered	17-JUN-1998	17-JUN-1998		
	Published Date	24-FEB-1998	24-FEB-1998	1425	24-FEB-1998
	Application Accepted	28-JAN-1998	28-JAN-1998	1425	24-FEB-1998
	Filed	09-MAY-1996	09-MAY-1996		

**Related Patents**

From

To

**Intellectual Property Office of New Zealand**  
**IP Database Extract Report**

Page: 13 of 34  
Date: 26 April 2004  
Time: 09:48:21  
(msripext 3.00.10)

**Objections**

Objection Type	Lodged Date
No objections on record or public access is restricted	

**Financial Interest**

No financial interest on record or public access is restricted

**Renewal Interest**